



P.O. Box 171111, Irving, Texas 75017-1111
www.lakevilbig.com

Dear Residents,

The Irving Lake Association Board of Directors would like to take a moment to “Thank You” for entrusting us with the leadership and stewardship of our community. Since our inception on **February 11, 2025**, a great deal has been accomplished — all with the goal of improving our neighborhood and fostering a stronger, more unified community.

We’re proud to share the following key achievements:

- ☒ **Dredging Project Completed** – Over a decade long-standing initiative completed with a **cost savings of \$45,000**
- ☒ **Cypress Cove Park Repairs Finalized** – Upgraded for more comfortable resident use
- ☒ **Lake Water Testing Completed – Healthy Lake Status Confirmed** with a cost savings of \$4,525
- ☒ **Revised ILA Website Launched** – A more user-friendly experience www.lakevilbig.com
- ☒ **Delinquent Accounts Collected** – 75% of past-due balances recovered
- ☒ **Outstanding Association Bills Resolved**
- ☒ **Increased Financial Transparency** – Monthly bank transactions posted on website and electronic payments instituted.
- ☒ **Reduced Overall Association Expenses**
- ☒ **"Yard of the Month" Program Reinstated** – Funded and supported
- ☒ **Community Events Sponsored & Attended:**
 - Easter Egg Hunt
 - Casbeer Kids Fishing Classic
 - National Night Out
- ☒ **Ongoing Commitment to Unity & Fairness** for ALL residents

We encourage everyone to stay informed by visiting the **Official ILA Website** regularly www.lakevilbig.com. All board activities, updates, and financial reports are posted there to ensure **full transparency**.

If you have **questions or concerns**, we kindly ask that you email your Board Members directly. We promise to respond **truthfully** and **promptly as appropriate**. Please note that **all inquiries and responses are shared publicly** on the website to keep communication open and accountable.

Lastly, we sincerely ask for your continued **prayers and support**. While we remain focused on serving our community, we have been the target of ongoing **criticism, harassment, and threats of litigation on unofficial social media platforms** (e.g., Facebook), often led by **former board members and their affiliates, which could ultimately lead to ILA funds being depleted, for unnecessary litigation**. Please be aware that **we do not authorize, condone, endorse, or affiliate** with these outlets.

Thank you again for your trust and support. We hope to see you at the next annual membership meeting.

Gracefully submitted,

Your 2025 Irving Lake Association Board of Directors

2025 BOARD OF DIRECTORS

Steve Martin
President

ILA.President.2@gmail.com

Daniel Hernandez
Vice President

ILA.1st.vice.president@gmail.com

Peter Kang
Vice President

ILA.2nd.vice.president@gmail.com

Angel Pilarski
Treasurer

ILA.Treasurer@gmail.com

Hanna Beauchamp
Secretary

ILA.Secretary@gmail.com



TTI ENVIRONMENTAL
LABORATORIES

TEST REPORT

TTI Lab No: T019697

Chan Kang
Chang Kang
1916 Pebblebrook Trail
Irving, TX 76060

Customer ID: CK
PO #: N/A
Date Collected: 09/10/25
Date Received: 09/10/25
Date Reported: 09/24/25

Dear Chan Kang:

Please find the enclosed analytical results for the samples you submitted to TTI Environmental Laboratories.

The as-is-received samples were suitably preserved and prepared as per EPA approved methodology. The determinations were carried out using EPA approved methods. The test results are tabulated in the attached tables. The analytical data contained in these tables has undergone a thorough review and is deemed to be accurate and complete.

Everyone in our organization will work hard to earn your continued support. We appreciate the opportunity to do business with you and look forward to a growing relationship in the future.

Please do not hesitate to contact us, if we can be of any service to you or if you have any questions, at (817) 861-5322.

Hardy Pabley
Hardy Pabley, Operations



TTI ENVIRONMENTAL
LABORATORIES

Project Name: Lake Irving
Project No: N/A

TTI Lab No: T019697
Date Received: 09/10/2025
Date Reported: 09/24/2025

Client Sample ID

Lake Irving Sample

Laboratory ID

T019697-01

Matrix

Water

Sampled:

09/10/2025



Project Name: Lake Irving
Project No: N/A

TTI Lab No: T019697
Date Received: 09/10/2025
Date Reported: 09/24/2025

Sample ID: Lake Irving Sample
TTI Sample No.: T019697-01

Sampled Date: 09/10/2025

CLASSICAL CHEMISTRY PARAMETERS

ANALYTE	METHOD NUMBER	SDL	MQL	DF	SAMPLE RESULTS	UNITS	FLG	ANALYSIS DATE
Total Algae	SM10900B			1	0.00	col./ml	U	09/10/25
Chloride	SM4500-CL	0.0300	0.100	1	24.3	mg/L		09/18/25
Nitrate/Nitrite as N	EPA 300.0	0.03	0.10	1	2.26	mg/L		09/16/25
Nitrate as N	EPA 300.0	0.03	0.10	1	2.26	mg/L		09/16/25
Nitrite as N	EPA 300.0	0.03	0.10	1	< 0.03	mg/L	U	09/16/25
Total Plate Count	SM9230M	1	1	1	1625	col./100ml		09/10/25

TOTAL METALS

ANALYTE	METHOD NUMBER	SDL	MQL	DF	SAMPLE RESULTS	UNITS	FLG	ANALYSIS DATE
Arsenic	EPA 200.7	0.007	0.05	1	< 0.007	mg/L	U	09/16/25
Barium	EPA 200.8	0.003	0.05	1	0.044	mg/L	J	09/16/25
Cadmium	EPA 200.7	0.007	0.05	1	< 0.007	mg/L	U	09/16/25
Chromium	EPA 200.7	0.008	0.05	1	< 0.008	mg/L	U	09/16/25
Lead	EPA 200.7	0.009	0.05	1	< 0.009	mg/L	U	09/16/25
Mercury	EPA 245.1	0.0002	0.0002	1	< 0.0002	mg/L	U	09/12/25
Selenium	EPA 200.7	0.005	0.05	1	< 0.005	mg/L	U	09/16/25
Silver	EPA 200.7	0.006	0.025	1	< 0.006	mg/L	U	09/16/25



Project Name: Lake Irving
Project No: N/A

TTI Lab No: T019697
Date Received: 09/10/2025
Date Reported: 09/24/2025

CLASSICAL CHEMISTRY PARAMETERS - Quality Control
TTI ENVIRONMENTAL LABORATORIES

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC Limits	RPD	RPD Limit	Notes
Batch 5091216 - Default Prep GenChem										
Blank (5091216-BLK1)					Prepared: 09/17/25 Analyzed: 09/18/25					
Chloride	< 0.0300	0.0300	0.100	mg/L						U
LCS (5091216-BS1)					Prepared: 09/17/25 Analyzed: 09/18/25					
Chloride	10.2	0.0300	0.100	mg/L	10.0		102	80-120		
LCS Dup (5091216-BSD1)					Prepared: 09/17/25 Analyzed: 09/18/25					
Chloride	10.3	0.0300	0.100	mg/L	10.0		103	80-120	0.681	20
Batch 5091218 - Default Prep GenChem										
Blank (5091218-BLK1)					Prepared: 09/12/25 Analyzed: 09/16/25					
Nitrate as N	< 0.03	0.03	0.10	mg/L						U
Nitrate/Nitrite as N	< 0.03	0.03	0.10	"						U
Nitrite as N	< 0.03	0.03	0.10	"						U
LCS (5091218-BS1)					Prepared: 09/12/25 Analyzed: 09/16/25					
Nitrate as N	10.7	0.03	0.10	mg/L	10.0		107	80-120		
Nitrate/Nitrite as N	21.3	0.03	0.10	"	20.0		106	80-120		
Nitrite as N	10.6	0.03	0.10	"	10.0		106	80-120		
LCS Dup (5091218-BSD1)					Prepared: 09/12/25 Analyzed: 09/16/25					
Nitrate as N	10.7	0.03	0.10	mg/L	10.0		107	80-120	0.560	20
Nitrate/Nitrite as N	19.9	0.03	0.10	"	20.0		99.3	80-120	7.00	20
Nitrite as N	9.12	0.03	0.10	"	10.0		91.2	80-120	15.2	20
Batch 5091231 - Default Prep GenChem										
Blank (5091231-BLK1)					Prepared & Analyzed: 09/10/25					
Total Plate Count	< 1	1		1 col./100ml						U
Batch 5091232 - Default Prep GenChem										
Blank (5091232-BLK1)					Prepared & Analyzed: 09/10/25					
Total Algae	0.00			col./ml						U
Duplicate (5091232-DUP1)					Source: T019697-01 Prepared & Analyzed: 09/10/25					
Total Algae	0.00			col./ml		0.00			200	U



Project Name: Lake Irving
Project No: N/A

TTI Lab No: T019697
Date Received: 09/10/2025
Date Reported: 09/24/2025

TOTAL METALS - Quality Control
TTI ENVIRONMENTAL LABORATORIES

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch 5091004 - EPA 245.1/245.2 Prep

Blank (5091004-BLK1)					Prepared & Analyzed: 09/12/25						
Mercury	< 0.0002	0.0002	0.0002	mg/L							U
LCS (5091004-BS1)					Prepared & Analyzed: 09/12/25						
Mercury	0.0045	0.0002	0.0002	mg/L	0.00500		90.0	80-120			
LCS Dup (5091004-BSD1)					Prepared & Analyzed: 09/12/25						
Mercury	0.0051	0.0002	0.0002	mg/L	0.00500		102	80-120	12.5	25	
Matrix Spike (5091004-MS1)					Source: T019656-01		Prepared & Analyzed: 09/17/25				
Mercury	0.0054	0.0002	0.0002	mg/L	0.00500	<	108	70-130			
Matrix Spike Dup (5091004-MSD1)					Source: T019656-01		Prepared & Analyzed: 09/12/25				
Mercury	0.0053	0.0002	0.0002	mg/L	0.00500	<	106	70-130	1.87	25	

Batch 5091101 - EPA 200.7

Blank (5091101-BLK1)					Prepared: 09/11/25 Analyzed: 09/16/25						
Arsenic	< 0.007	0.007	0.05	mg/L							U
Barium	< 0.003	0.003	0.05	"							U
Cadmium	< 0.007	0.007	0.05	"							U
Chromium	< 0.008	0.008	0.05	"							U
Lead	< 0.009	0.009	0.05	"							U
Selenium	< 0.005	0.005	0.05	"							U
Silver	< 0.006	0.006	0.025	"							U
LCS (5091101-BS1)					Prepared: 09/11/25 Analyzed: 09/16/25						
Arsenic	1.059	0.007	0.05	mg/L	1.00		106	85-115			
Barium	0.9656	0.003	0.05	"	1.00		96.6	85-115			
Cadmium	1.037	0.007	0.05	"	1.00		104	85-115			
Chromium	1.062	0.008	0.05	"	1.00		106	85-115			
Lead	0.9969	0.009	0.05	"	1.00		99.7	85-115			
Selenium	1.011	0.005	0.05	"	1.00		101	85-115			
Silver	0.4744	0.006	0.025	"	0.500		94.9	85-115			
LCS Dup (5091101-BSD1)					Prepared: 09/11/25 Analyzed: 09/16/25						
Arsenic	1.072	0.007	0.05	mg/L	1.00		107	85-115	1.22	20	
Barium	0.9797	0.003	0.05	"	1.00		98.0	85-115	1.45	20	



Project Name: Lake Irving
Project No: N/A

TTI Lab No: T019697
Date Received: 09/10/2025
Date Reported: 09/24/2025

TOTAL METALS - Quality Control
TTI ENVIRONMENTAL LABORATORIES

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch 5091101 - EPA 200.7

LCS Dup (5091101-BSD1)

Prepared: 09/11/25 Analyzed: 09/16/25

Cadmium	1.046	0.007	0.05	mg/L	1.00		105	85-115	0.864	20
Chromium	1.077	0.008	0.05	"	1.00		108	85-115	1.40	20
Lead	1.003	0.009	0.05	"	1.00		100	85-115	0.610	20
Selenium	1.022	0.005	0.05	"	1.00		102	85-115	1.08	20
Silver	0.4841	0.006	0.025	"	0.500		96.8	85-115	2.02	20

Matrix Spike (5091101-MS1)

Source: T019691-01

Prepared: 09/11/25 Analyzed: 09/16/25

Arsenic	1.071	0.007	0.05	mg/L	1.00	<	107	70-130		
Barium	0.9772	0.003	0.05	"	1.00	<	97.7	70-130		
Cadmium	1.041	0.007	0.05	"	1.00	<	104	70-130		
Chromium	1.075	0.008	0.05	"	1.00	<	108	70-130		
Lead	1	0.009	0.05	"	1.00	<	100	70-130		
Selenium	1.017	0.005	0.05	"	1.00	<	102	70-130		
Silver	0.3793	0.006	0.025	"	0.500	<	75.9	70-130		

Matrix Spike Dup (5091101-MSD1)

Source: T019691-01

Prepared: 09/11/25 Analyzed: 09/16/25

Arsenic	1.067	0.007	0.05	mg/L	1.00	<	107	70-130	0.374	20
Barium	0.9796	0.003	0.05	"	1.00	<	98.0	70-130	0.245	20
Cadmium	1.041	0.007	0.05	"	1.00	<	104	70-130	0.00	20
Chromium	1.084	0.008	0.05	"	1.00	<	108	70-130	0.834	20
Lead	0.9964	0.009	0.05	"	1.00	<	99.6	70-130	0.361	20
Selenium	1.015	0.005	0.05	"	1.00	<	102	70-130	0.197	20
Silver	0.425	0.006	0.025	"	0.500	<	85.0	70-130	11.4	20



Project Name: Lake Irving
Project No: N/A

TTI Lab No: T019697
Date Received: 09/10/2025
Date Reported: 09/24/2025

Notes and Definitions

U	Analyte included in the analysis, but not detected
J	Detected but below the Reporting Limit; therefore, result is an estimated concentration (CLP J-Flag).
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis
RPD	Relative Percent Difference
SDL	Sample Detection Limit
MQL	Method Quantitation Limit
DF	Dilution Factor

Page 1 of 1
Telephone: (817) 861-5322
FAX: (817) 261-1717
www.ttilabs.com

CLIENT NAME Chan Kang						CLIENT CONTACT														LAB USE			
CLIENT ADDRESS 1916 Pebblebrook Trail						PHONE (817) 658-3502						TEST PARAMETERS								LAB NO. 7019697			
CITY, STATE, ZIP Irving TX 75060						FAX -														ON ICE ☒ YES ☐ NO			
P.O. NO. N/A						EMAIL CKang93@yahoo.com														TEMP OF COOLERS °C 3.00			
PROJECT NO. N/A						QUOTE NO.														CUSTODY SEAL			
PROJECT NAME Lake Irving						SAMPLER'S NAME Chan Kang														Cooler ☐ Y ☒ N Samples ☐ Y ☒ N			
Sample Collection						No. / Type Containers ²														SEAL INTACT			
Date Ex:mm/dd/yy	Time Ex:hh:mm	(C)omp (G)rab	Matrix ¹	Sample Description		VOA	A/G 1 LT.	4 OZ.	P/O	PRES ³	Metals RCRA 8	Nitrate/Nitrite-N	Algae	Total Bacteria	Chloride	Dry Wt.	TRAP	HOLD ⁴	TTI Lab ID				
09/10/25	14:00	G	W	Lake Irving Sample					5	2467	✓	✓	✓	✓	✓				7019697-01				
OT 9.10.25																							
TURNAROUND TIME:																							
☒ STANDARD 5 Business Days ☐ 50% RUSH 3 Business Days ☐ 100% RUSH 1 Business Day / ASAP ☐ E.R. 300% RUSH Same Day / ASAP																							
1. MATRIX: WW-Wastewater; W-Water; S-Soil; SD-Solid; L-Liquid; A-Airbag; C-Charcoal Tube; SL-Sludge; O-Oil 2. CONTAINERS: VOA-40ml vial; A/G-Amber or Glass 1 Liter; 4 oz-Glass Wide Mouth; P/O-Plastic or Other 3. PRES.: 1-None; 2-1:1HNO ₃ ; 3-1:1 HCL; 4-1:1 H ₂ SO ₄ ; 5-NaOH; 6-Ice; 7-Other 4. HOLD: Lab will hold samples for 30 (thirty) days.																							
Relinquished by (Signature)		Date		Time		Received By: (Signature)		Date		Time		REMARKS: ☐ TTI Drop Off ☐ TTI Pickup AMP GUN #12 Clients delivery of samples to TTI constitutes acceptance to reimburse TTI as per the terms and conditions listed in the price schedule.											
Relinquished by (Signature)		Date		Time		Received By: (Signature)		Date		Time													
Relinquished by (Signature)		Date		Time		Received By: (Signature)		Date		Time													